

STARPOOL

w e l l n e s s c o n c e p t

GlamourCollection



**WELCOME
TO A NEW
DIMENSION
OF SPA**







STARPOOL'S DNA

Flows and treatments through
the use of heat, water and relaxation.


"This formula, with its ancient origins, is the true essence of every Starpool spa. We express our passion for the culture of well-being through the design and constant search for quality of our products and services."

A handwritten signature in white ink, reading "Riccardo Turri".

Riccardo Turri
CEO Starpool



All products in the GlamourCollection are overseen by designer **Cristiano Mino**





GLAMOUR IS

A total new look for Starpool products, inspired by fascination, elegance and seduction; these are the keywords for this collection derived from an entirely Italian craftsmanship.

A return to the past through an intriguing mix of soft and sinuous forms. Selected materials meet the most modern techniques and technologies to produce outstanding results in terms of hygiene, safety, durability and energy saving.





GLAMOUR IS... GREEN

From the green heart of the Trentino Dolomites. It is here that Starpool draws inspiration for its work each day, a place where passion, innovation, belonging, skills and eco-sustainability guide the production of the companies whose roots are in this earth.

This means that "Be Green" is not just a slogan, but a real, constant and daily commitment to the future. Starpool believes in the added value of respect for the environment, which is why sustainability forms an integral part of all the company's activities.

Bio-compatibility

All Glamour products are designed with eco-sustainability in mind. The sauna wood is 100% natural and is untreated. The special working of the slats and the construction system employed limits the use of adhesives in the installation phase, thus optimizing the healthiness of the surroundings.

Sustainable production

All Glamour products are manufactured with a low environmental impact with limited energy consumption from clean and renewable sources, recyclable raw materials and external emissions equal to zero.

Renewable materials

Glamour products are manufactured from highly recyclable materials that represent over 75% of their weight. The simple system for dismantling the components makes it easy to recover the raw materials at the end of a product's life-cycle.

Natural, reusable packaging

All Glamour products are dispatched in firwood boxes from the Fiemme Valley that can be collected and re-used many times over, thus reducing the use of new packaging materials.

Let's make a difference!

At Starpool we sort waste materials and, where technically possible, we regenerate the components of products that have been withdrawn and are no longer in use.



GREEN TECHNOLOGY



Be
green



Energy Efficient software

All Glamour products feature Energy Efficient technology: software that regulates and maintains constant temperatures. Energy Efficient is linked to automatic door closing, thus permitting energy savings of up to 20% compared to normal operation.



Touch Display technology

All Glamour products can be equipped with Touch Display technology: software that permits remote switch-on, communicating a wide range of functional data, malfunction alerts and maintenance check-ups to any mobile device.



Eco SPA technology

All Glamour products can be equipped with Eco SPA technology: simple and intuitive software for the automated management and control of all spa equipment. It permits remote diagnostics and optimization of energy use. Controlled energy distribution avoids any overrun of the maximum kW rating in use, resulting in long-term economic savings.



Glamour products

GlamourCollection products are available in a wide variety of dimensions and layouts. Designed to accommodate more than one person, they can be inserted into every type of environment and ideally meet spatial requirements, all while retaining their technical and aesthetic qualities. Glamour products include various models of heat baths, steam baths and ready-to-install saunas, supplied with internal coatings and a wide range of standard equipment. Their modularity permits the realization of professional well-being solutions; whether for domestic environments or for large-scale spas, ensuring quick and easy installation operations, while offering a single point of contact for the creation of a high-quality spa environment.

Glamour Collection



GlamourSteamPro

14



GlamourSaunaPro

26



GlamourMediterraneanPro

38



GlamourIcePro

50

Comparative Table

60

Layout

62

GlamourSteamPro

design **Cristiano Mino**

ON THE THRESHOLD OF A SECRET WORLD





GlamourSteamPro



A RETURN TO THE PAST

GlamourSteamPro revives the ancient rituals of the steam bath, full of charm and elegance. The interior, lit by natural diffused lighting, gives the impression of being on the threshold of a secret world. The lantern ceilings, with their dimmable spotlights, evoke the lighting typical of the architecture of the ancient Arab hammam. Gold and silver accentuate the functional elements, as does the steam inlet in anodized aluminium which, forged in a single pressing, produces jewels that lend strength and personality to the ambience.



NOT JUST STEAM

GlamourSteamPro is a modular product supplied internally coated and with a wide range of equipment.



STEAM BATH

The patented Air Steam System mixes the steam with the air in the correct quantities and distributes it uniformly, increasing the temperature to 43/45°C and the relative humidity to 98%.



SENSORY AROMA

The aroma of eucalyptus, mixed with steam, emphasizes the benefits of the treatment.



LIGHTING

The interior features soft lighting with a particularly natural effect. The lantern ceilings with dimmable spots evoke the lighting typical of the architecture of the ancient Arab hammam.



MUSIC

The music kit offers the preset Spa Music by Starpool. There is also an audio MP3 player with USB and Bluetooth technology as standard.

FUNCTIONAL DESIGN

The careful selection of high-quality materials for the coating combined with the latest techniques and technologies ensure very high levels of hygiene for GlamourSteamPro.

1_DOOR

Comfort, practicality and accessibility. Thanks to the door extended to 87 cm in width, GlamourSteamPro is the first professional barrier-free product.

2_ZERO GROUTING

With a grout surface of less than 1% of the glass or EcoStone coating, GlamourSteamPro is a product that offers the best guarantee for hygiene.

3_SUSPENDED SEATING

The suspended seating, detached from the wall, means easy cleaning and no water build-up. The EcoStone seating is anti-static and anti-bacterial.

4_MODULARITY

GlamourSteamPro is a finished product, supplied with internal coating, consisting of self-supporting modular walls with

high-tech fittings. Their self-supporting nature eliminates the need for masonry work while their modularity ensures fast and safe installation. The product can be removed and reassembled elsewhere at any time, safeguarding the investment over time.

5_SAFE STEAM ADMISSION

The anodized aluminium steam inlet ensures safe admission of the steam and avoids guests entering into direct contact with the heat source.

6_PATENTED AIR STEAM SYSTEM

The exclusive patented Air Steam System produces a special mixture of steam, fresh air and aromas to produce better air quality with uniform distribution that avoids stratification.

7_ALARM BUTTON

The alarm system communicates remotely and permits rapid intervention in the event of an emergency.

8_WALL JET

The number of jets increases as the dimensions of GlamourSteamPro are increased. The jet is ideal for refreshing the body during the steam bath and for facilitating cleaning.

BE GREEN

GlamourSteamPro is fitted as standard with the "Green Pack" system, with automatic door closing, a door-open sensor capable of switching the heat supply off and "Energy Efficient" software to control and maintain the temperature, all of which optimizes energy consumption and avoids wasting energy.



FITTINGS



ECOSTONE

Wall in white or black EcoStone


SEATING

EcoStone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Steam inlet, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.





OPTICAL

Wall in fluted white or black crystal.

SEATING

EcoStone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Steam inlet, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.















DATA SHEET



GlamourSteamPro



GlamourSteamPro Vision

AVAILABLE EXTERNAL DIMENSIONS (cm)	195 L x 105 P x 243 H	 x2	195 L x 105 P x 243 H	 x2
	195 L x 195 P x 243 H	 x4	195 L x 195 P x 243 H	 x4
	285 L x 195 P x 243 H	 x6	285 L x 195 P x 243 H	 x6
	285 L x 285 P x 243 H	 x8	285 L x 285 P x 243 H	 x8
	375 L x 195 P x 243 H	 x6	375 L x 195 P x 243 H (*)	 x6
	375 L x 285 P x 243 H	 x10	375 L x 285 P x 243 H (*)	 x10
	375 L x 375 P x 243 H	 x12	375 L x 375 P x 243 H (*)	 x12
VOLTAGE	400 VAC 3P+N+PE			
MAX. CONSUMPTION IN KW	6,5 - 18,5			
TECHNICAL SPECIFICATION	Steam bath			
TEMPERATURE	43 - 45°C			
RELATIVE HUMIDITY	98%			
HEATING	Patented AirSteamSystem with timed aroma release			
LIGHTING	Ceiling spotlights, dimmable white LED 2700°K (number varies according to dimensions)			
MUSIC KIT	Integrated music kit with preset selection of Spa Music by Starpool and MP3 player with USB and Bluetooth technology			
SEATING	EcoStone ton sur ton with wall coating			
HEAT SOURCE / FEET BELOW SEATING / ANGULAR COLUMNS	Silver/gold anodized aluminium			
FRAME / DOOR	Door frame in AISI 316L steel. Door in tempered crystal, 10 mm thick Door width 87 cm. Handle: steel / steel AISI 316L		Perimeter frame for front glass with 3-cm solid surface. Door in tempered crystal, 10 mm thick. Door width 87 cm. Handle: steel / steel	
STRUCTURE	High density insulation walls with self-supporting rigid aluminium frame (min. thickness 7,5 cm, U= 0.49 W/m2K)			

FITTINGS


EcoStone white	Walls and seating in white EcoStone
EcoStone black	Walls and seating in black EcoStone
Optical white	Walls in ribbed white crystal Seating in white EcoStone
Optical black	Walls in ribbed black crystal Seating in black EcoStone

N.B. No flooring is provided for GlamourSteamPro: this must be realized according to the planning arrangements.

(*) The glazed front of the Vision version can measure up to a maximum of 285 cm: for larger layouts two walls are provided on the left and right sides of the glazing.

GlamourSteamPro & GlamourSteamPro Vision - functions:

ALARM	Button inside cabin
AROMATIZED STEAM BATH	Activated from technical area
LIGHT	Activated from technical area
MP3 WITH MUSIC PLAY/STOP/REW/FF/VOLUME+/-	Activated from technical area
WALL JET, COLD WATER ONLY	Activated from technical area



All layouts are available on page 62.

GlamourSaunaPro

design Cristiano Mino

A JOURNEY INTO THE PAST TO THE HEART OF A FASCINATING NORDIC CULTURE





GlamourSaunaPro



THE FINNISH FAVOURITE

GlamourSaunaPro brings up-to-date the fascinating aspects of Nordic culture, breathing new life into traditional ambiances. The Savublack version in firwood from the Fiemme Valley reinterprets the typical "Savusauna" or "SmokeSauna" – a Finnish favourite – where the absence of any chimney causes soot to accumulate on the seating and walls. The special black waxed treatment ensures maximum cleanliness along with a muted atmospheric effect in natural tones of coal, dark brown and anthracite. Combining tradition and innovation, there is also a version in Canadian red cedar with its special antibacterial and disinfectant properties, as well as Italian linden with its characteristic veiled white and powdery ambience.



HEAT, COLOUR, PERFUMES AND MUSIC

GlamourSaunaPro features details, clean aesthetics and materials of natural inspiration that are pleasing to the touch, making the sauna experience yet more intensive.




HEAT BATH

The internal stove recreates the principles of the Finnish sauna with a temperature of 80-90°C and a relative humidity of 10-20%. Alternatively, the stove with humidifier offers a new version: the "soft sauna" with a temperature 50-60°C and a relative humidity of 40-60%.



NATURAL WOODS

The various coatings not only produce amazing chromatic effects, but have numerous curious properties: from the Canadian red cedar with its disinfectant characteristics, to the sweetness of the linden and the enveloping perfume of the black waxed fir.



LIGHTING

A cascade of indirect light naturally illuminates the interior, emphasizing the purity of the wood to create an enveloping effect. Soft, homogenous lighting evokes the naturally lit sauna, where the light was filtered from small windows set in the walls.



MUSIC

The music kit offers the preset Spa Music by Starpool. There is also an audio MP3 player with USB and Bluetooth technology as standard.

FUNCTIONAL DESIGN

Skilled hands take simple, precious raw materials and turn them into ambiances that are perfect in every detail. GlamourSaunaPro is a blend of tradition and fascination that is synonymous with the quality of the materials and artistic working of designs that both satisfy and reward over time.

1_DOOR

Comfort, practicality and accessibility. Thanks to the door extended to 87 cm in width, GlamourSaunaPro is the first professional barrier-free product.

2_MODULARITY

GlamourSaunaPro is a finished product, supplied with internal coating, consisting of self-supporting modular walls with high-tech fittings. Their self-supporting nature eliminates the need for masonry work while their modularity ensures fast and safe installation. The product can be

removed and reassembled elsewhere at any time, safeguarding the investment over time.

3_SAFETY AND CONTROL



The stove, the natural centre of the sauna, is in an absolutely safe position, isolated from the structure by means of a wall of crystal/EcoStone for total protection from the heat. The pressure safety system installed above the stove disconnects the supply to ensure greater safety.

4_ALARM BUTTON

The alarm system communicates remotely and permits rapid intervention in the event of an emergency.

BE GREEN

GlamourSaunaPro is fitted as standard with the "Green Pack" system, with automatic door closing, a door-open sensor capable of switching the heat supply off and "Energy Efficient" software to control and maintain the temperature, all of which optimizes energy consumption and avoids wasting energy.



FITTINGS



SAVUBLACK FIR

Walls and seating in black waxed fir from the Fiemme Valley.



LINDEN

Walls and seating in linden wood.



RED CEDAR

Walls and seating in Canadian red cedar.

WALL COATING BEHIND STOVE



EcoStone white

Single slab in white EcoStone.




EcoStone black

Single slab in black EcoStone.





Crystal white

Single slab in plain white back-painted crystal.



Crystal black

Single slab in plain black back-painted crystal.



















DATA SHEET



GlamourSaunaPro



GlamourSaunaPro Vision

AVAILABLE EXTERNAL DIMENSIONS (*) [cm]	195 L x 105 P x 233 H	 x2	195 L x 105 P x 233 H	 x2
	195 L x 195 P x 233 H	 x4	195 L x 195 P x 233 H	 x4
	285 L x 195 P x 233 H	 x6	285 L x 195 P x 233 H	 x6
	285 L x 285 P x 233 H	 x8	285 L x 285 P x 233 H	 x8
	285 L x 375 P x 256 H	 x10	285 L x 375 P x 256 H	 x10
	375 L x 195 P x 233 H	 x6	375 L x 195 P x 233 H (*)	 x6
	375 L x 285 P x 233 H	 x10	375 L x 285 P x 233 H (*)	 x10
	375 L x 375 P x 256 H	 x12	375 L x 375 P x 256 H (*)	 x12
VOLTAGE	400 VAC 3P+N+PE			
MAX. CONSUMPTION IN KW	6,5 - 24,5			
TECHNICAL SPECIFICATION	Finnish sauna / Soft sauna			
TEMPERATURE	80 – 90°C Finnish sauna / 50 – 60°C Soft sauna			
RELATIVE HUMIDITY	10 – 20% Finnish sauna / 40 – 60% Soft sauna			
HEATING	Electric stove			
LIGHTING	Ceiling strip, dimmable white LED 2700°K			
MUSIC KIT	Integrated music kit with preset selection of Spa Music by Starpool and MP3 player with USB and Bluetooth technology			
FRAME / DOOR	External door frame in AISI 316L steel / interior wood. Door in tempered crystal, 10 mm thick Door width 87 cm. Handle: steel / wood		Perimeter frame for front glazing of same wood as interior walls (3 cm). Door in tempered crystal, 10 mm thick. Door width 87 cm. Handle: steel / wood	
STRUTTURA	High density insulation walls with self-supporting aluminium frame (min. thickness 7,5 cm. U= 0.67 W/m2K)			

FITTINGS

Sauvblack Fir	Walls, seating, ceiling and stove covering in waxed black fir
Red Cedar	Walls, seating, ceiling and stove covering in Canadian red cedar
Linden	Walls, seating, ceiling and stove covering in linden wood

WALL COATING BEHIND STOVE

EcoStone white	Single slab in white EcoStone
EcoStone black	Single slab in black EcoStone
Crystal white	Single slab in plain white back-painted crystal
Crystal black	Single slab in plain black back-painted crystal


N.B. No flooring is provided for GlamourSaunaPro: this must be realized according to the planning arrangements.

(*) The glazed front of the Vision version can measure up to a maximum of 285 cm: for larger layouts two walls are provided on the left and right sides of the glazing.


GlamourSaunaPro & GlamourSaunaPro Vision - functions:

ALARM	Button inside cabin
STEAM BATH	Activated from technical area
LIGHT	Activated from technical area
MP3 WITH MUSIC PLAY/STOP/REW/FF/VOLUME+/-	Activated from technical area



GlamourSaunaPro



PERIMETER DIMENSIONS



MINIMUM ROOM HEIGHT



Glamour MediterraneanPro

design **Cristiano Mino**

TIMELESS FASCINATION





Glamour MediterraneanPro



THE BEST PLACE FOR SOCIALIZING IN A SPA

Its inspiration comes from the laconicum of Roman origin, a Mediterranean alternative to the intense heat of the Nordic sauna and the high humidity of the Middle Eastern hammam. Starting on this basis, Starpool's patented technology has created an ambience with the same degree of hospitality and sociability, but with much higher performances that are adapted to the modern era. The milder temperatures (45-50° C) accompanied by slightly higher humidity (55-65%) ensure the maximum enjoyment of the benefits, shortening the length of time required for treatment without ignoring comfort and effectiveness. Guests are surrounded by a glamorous environment that speaks of elegance, sophistication and a level of luxury that is welcoming rather than exclusive, like the nature of the Mediterranean bath itself.



NOT JUST HEAT

With its modularity, selected coatings, innovative technologies and patented systems, GlamourMediterraneanPro offers an alternative to the intense heat of the sauna and steam bath.



STEAM BATH

The patented system ensures that the heat radiates from the walls, increasing the ambient temperature to 45-50°C with a relative humidity a 55-65%. The transfer effect of the heat stimulates a gradual and uniform perspiration without stressing the physique.



SOFT LIGHTING

The ceiling with its dimmable lights naturally illuminates the interior with beams of white light.



SENSORY AROMA

GlamourMediterraneanPro's distinguishing emotional qualities are produced by the ceiling distributor which releases an aromatic flow onto the warm stones of the stove accompanied by an energizing red light.

This timed nebulization creates a warm cloud of steam that diffuses a delicate scent of lavender into the surroundings.



MUSIC

The music kit offers the preset Spa Music by Starpool. There is also an audio MP3 player with USB and Bluetooth technology as standard.

FUNCTIONAL DESIGN

The modularity of GlamourMediterraneanPro is enhanced by its standard instrumentations to create an absolutely original atmosphere, exclusive to the Mediterraneo by Starpool technology.

1_DOOR

Comfort, practicality and accessibility. Thanks to the door extended to 87 cm in width, GlamourMediterraneanPro is the first professional barrier-free product.

2_ZERO GROUTING

With a grout surface of less than 1% of the glass or EcoStone coating, GlamourMediterraneanPro is a product that offers the best guarantee for hygiene.

3_SUSPENDED SEATING

The suspended seating, detached from the wall, means easy cleaning and no water build-up. The EcoStone of the seating is anti-static and anti-bacterial.

4_MODULARITY

GlamourMediterraneanPro is a finished product, supplied with internal coating, consisting of self-supporting modular walls with high-tech fittings. Their self-supporting nature eliminates the need for masonry work while their modularity ensures fast and safe installation. The product can be removed and reassembled elsewhere at any time, safeguarding the investment over time.

5_PATENTED TECHNOLOGY

The exclusive patented system with radiating walls supplies a constant heat that is further emphasized by the Mediterraneo by Starpool technology. The ceiling distributor releases nebulized water perfumed with lavender onto the warm stones of the stove to produce a slight increase in humidity and a range of aromatic and visual emotions.

6_ALARM BUTTON


The alarm system communicates remotely and permits rapid intervention in the event of an emergency.

7_WALL JET

The number of jets increases as the dimensions of GlamourMediterraneanPro are increased. The jet is ideal for refreshing the body during the steam bath and for facilitating cleaning.

BE GREEN

GlamourMediterraneanPro is fitted as standard with the "Green Pack" system, with automatic door closing, a door-open sensor capable of switching the heat supply off and "Energy Efficient" software to control and maintain the temperature, all of which optimizes energy consumption and avoids wasting energy.



FITTINGS



ECOSTONE

Wall in black or white EcoStone.

SEATING

EcoStone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Stove covering, ceiling distributor, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.





OPTICAL

Wall in fluted white or black crystal.

SEATING

EcoStone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Stove covering, ceiling distributor, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.













DATA SHEET



GlamourMediterraneanPro



GlamourMediterraneanPro Vision

AVAILABLE EXTERNAL DIMENSIONS (cm)	195 L x 195 P x 243 H	 x4	195 L x 195 P x 243 H	 x4
	285 L x 195 P x 243 H	 x6	285 L x 195 P x 243 H	 x6
	285 L x 285 P x 243 H	 x8	285 L x 285 P x 243 H	 x8
	375 L x 195 P x 243 H	 x6	375 L x 195 P x 243 H (*)	 x6
	375 L x 285 P x 243 H	 x10	375 L x 285 P x 243 H (*)	 x10
	375 L x 375 P x 243 H	 x12	375 L x 375 P x 243 H (*)	 x12
VOLTAGE	400 VAC 3P+N+PE			
MAX. CONSUMPTION IN KW	10,3 - 13,3			
TECHNICAL SPECIFICATION	Bagno mediterraneo			
TEMPERATURE	45 - 50°C			
RELATIVE HUMIDITY	55 - 65%			
HEATING	Irraggiamento da parete e convezione da stufa elettrica			
LIGHTING	Faretti spot a soffitto, luce a LED bianca dimmerabile 2700°K (il numero varia in base alle dimensioni)			
MUSIC KIT	Kit musica integrato con selezione spa music by Starpool precaricata e lettore MP3 con tecnologia USB e Bluetooth			
SEATING	Ecostone <i>ton sur ton</i> con il rivestimento delle pareti			
CEILING DISTRIBUTOR / HEAT SOURCE / FEET BELOW SEATING / ANGULAR COLUMNS	Alluminio anodizzato argento/oro			
FRAME / DOOR	Telaio porta in acciaio AISI 316L. Porta in cristallo temperato, sp. 10 mm. Luce porta 87 cm. Maniglia: acciaio / legno		Cornice perimetrale alla vetrata frontale in solid sourface da 3 cm. Porta in cristallo temperato sp. 10 mm. Luce porta 87 cm. Maniglia: acciaio / legno	
STRUCTURE	Pareti in materiale isolante ad alta densità, con telaio in alluminio autoportante e antiflessione (spessore minimo 7,5 cm, U= 0,49 W/m²K)			

FITTINGS


EcoStone white	Walls and seating in white EcoStone
EcoStone black	Walls and seating in black EcoStone
Optical white	Walls in fluted white crystal Seating in white EcoStone
Optical black	Walls in fluted black crystal Seating in black EcoStone

N.B. No flooring is provided for GlamourMediterraneanPro: this must be realized according to the planning arrangements.

(*) The glazed front of the Vision version can measure up to a maximum of 285 cm: for larger layouts two walls are provided on the left and right sides of the glazing.

GlamourMediterraneanPro & GlamourMediterraneanPro Vision - functions:


ALARM	Button inside cabin
WALL HEATING	Activated from technical area
LIGHT	Activated from technical area
MP3 WITH MUSIC PLAY/STOP/REW/FF/VOLUME+/-	Activated from technical area
WALL JET, COLD WATER ONLY	Activated from technical area



GlamourIcePro

design **Cristiano Mino**

COLD HAS NEVER BEEN SO GLAMOUROUS





GlamourIcePro



NORDIC INSPIRATIONS

Well-being combined with a burst of fresh energy: the Finns believe that diving into the snow after a sauna is not just pleasant, but also necessary for rebalancing the body temperature. GlamourIcePro thus offers a cold ambience with finely crushed ice to recreate the most authentic cold reactions, characterized by rigorous forms and chromatic vibrations.



INTENSE COLD

GlamourIcePro is the new cold reaction line from Starpool combining elements which, with its advanced design, come together in a unique synthesis of functionality and beauty.



COOL SYSTEM

The Cool System technique distributes the cold air uniformly, keeping the temperature at between 5°C and 15°C.



ICE CASCADE

The finely crushed ice in the anodized aluminium basin helps in cooling the body. Starting with the lower limbs, it is recommended that the guest rubs their body with ice packs in order to stimulate the immune system, improving the circulation and oxygenation of the tissues and thus invigorating the whole organism.



COLOUR

The dimmable ceiling lights diffuse a blue colour to create unexpected reflections on the walls, while two spotlights located inside the ceiling distributor give the ice a light of its own, lending it an iridescent effect.



MUSIC

The music kit offers the preset Spa Music by Starpool. There is also an audio MP3 player with USB and Bluetooth technology as standard.

FUNCTIONAL DESIGN

GlamourIcePro is the result of a project designed and developed by the Starpool design team who, with their particular sense for materials and proportions, have managed to combine comfort with superior performance.

1_DOOR

Comfort, practicality and accessibility. Thanks to the door extended to 87 cm in width, GlamourIcePro is the first professional barrier-free product.

2_ZERO GROUTING

With a grout surface of less than 1% of the glass or EcoStone coating, GlamourIcePro is a product that offers the best guarantee for hygiene.

3_MODULARITY

GlamourIcePro is a finished product, supplied with internal coating, consisting of self-supporting modular walls with high-tech fittings. Their self-supporting nature eliminates the need for masonry work while their modularity ensures fast and safe installation. The product can be removed and reassembled elsewhere at any time, safeguarding the investment over time.

4_ICE BASIN

The finely crushed ice is kept in a basin of anodized aluminium to help in cooling the body.

5_ALARM BUTTON

The alarm system communicates remotely and permits rapid intervention in the event of an emergency.

6_WALL JET


The number of jets increases as the dimensions of GlamourIcePro are increased. The jet is ideal for refreshing the body during the steam bath and for facilitating cleaning.

COOL SYSTEM TECHNOLOGY

GlamourIcePro is fitted as standard with the Cool System, developed together with refrigeration specialists. Cool System will keep the temperature at between 5°C and 15°C.

BE GREEN

GlamourIcePro is fitted as standard with the "Green Pack" system, with automatic door closing, a door-open sensor capable of switching the heat supply off and "Energy Efficient" software to control and maintain the temperature, all of which optimizes energy consumption and avoids wasting energy.



FITTINGS



ECOSTONE

Wall in white or black EcoStone.


SEATING

Ecostone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Ice basin, ceiling distributor, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.





OPTICAL

Wall in fluted white or black crystal.

SEATING

EcoStone ton sur ton with wall coating.

FUNCTIONAL ELEMENTS

Ice basin, ceiling distributor, wall columns and feet for seating in anodized aluminium. Choice of gold or silver.





DATA SHEET



GlamourIcePro



GlamourIcePro Vision

AVAILABLE EXTERNAL DIMENSIONS (cm)	285 L x 195 P x 296 H	 x3	285 L x 195 P x 296 H	 x3
	285 L x 285 P x 306 H	 x6	285 L x 285 P x 306 H	 x6
VOLTAGE	400 VAC 3P+N+PE			
MAX. CONSUMPTION IN KW	2			
TECHNICAL SPECIFICATION	Cool System cooling apparatus			
TEMPERATURE	da 5°C a 15°C			
COOLING	Cooling apparatus and ice cascade system			
LIGHTING	Ceiling spotlights, dimmable blue LEDs (number varies according to dimensions) + 2 LED spots positioned in the ceiling distributor			
MUSIC KIT	Integrated music kit with preset selection of Spa Music by Starpool and audio MP3 system with USB and Bluetooth technology			
SEATING	EcoStone ton sur ton with wall colour			
CEILING DISTRIBUTOR / ICE BASIN / FEET BELOW SEATING / ANGULAR COLUMNS	Silver/gold anodized aluminium			
FRAME / DOOR	Door frame in AISI 316L steel. Door in tempered crystal, 10 mm thick Door width 87 cm. Handle: steel / steel AISI 316		Perimeter frame for front glazing with 3-cm solid surface. Door in tempered crystal, 10 mm thick. Door width 87 cm. Handle: steel / steel	
STRUTTURA	High density insulation walls with self-supporting rigid aluminium frame (min. thickness 7,5 cm, U= 0,49 W/m2K)			

FITTINGS



EcoStone white	Walls and seating in white EcoStone
EcoStone black	Walls and seating in black EcoStone
Optical white	Walls in fluted white crystal Seating in white EcoStone
Optical black	Walls in fluted black crystal Seating in black EcoStone

N.B. No flooring is provided for GlamourIcePro: this must be realized according to the planning arrangements.

GlamourIcePro & GlamourIcePro Vision - functions:



ALARM	Button inside cabin
COOLING APPARATUS AND ICE CASCADE SYSTEM	Activated from technical area
LIGHT	Activated from technical area
MP3 WITH MUSIC PLAY/STOP/REW/FF/VOLUME+/-	Activated from technical area
WALL JET, COLD WATER ONLY	Activated from technical area

GlamourIcePro



PERIMETER DIMENSIONS

MINIMUM ROOM HEIGHT



COMPARATIVE TABLE




DATA SHEET

	GlamourSteamPro + Vision
TECHNICAL SPECIFICATION	Steam bath
TEMPERATURE	43 - 45°C
RELATIVE HUMIDITY	98%
HEATING	Patented AirSteamSystem with timed aroma release
VOLTAGE	400 VAC 3P+N+PE
CONSUMPTION IN KW	6,5 - 18,5
LIGHTING	Ceiling spotlights, dimmable white LED 2700°K (number varies according to dimensions)
STRUCTURE	High density insulation walls with self-supporting rigid aluminium frame (min. thickness 7.5 cm, U= 0.49 W/m2K)

FUNCTIONS

ON / OFF	Activated from technical area
ALARM	Button inside cabin
LIGHT	Activated from technical area
MP3 WITH MUSIC PLAY/STOP/REW/FF/VOLUME+/-	Activated from technical area
WALL JET, COLD WATER ONLY	Wall jet in the cabin. The number of jets increases as the dimentions of the cabin are increased.
ECO SPA TECHNOLOGY / TOUCH DISPLAY	yes
















GlamourSaunaPro + Vision	GlamourMediterraneanPro + Vision	GlamourIcePro + Vision
Finnish sauna / Soft sauna	Mediterranean bath	Cool System cooling apparatus
80 - 90°C Finnish sauna / 50 - 60°C Soft sauna	45 - 50°C	da 5° a 15 °
10 - 20% Finnish sauna / 40 - 60% Soft sauna	55 - 65%	-
Electric stove	Radiation from wall, convection from electric stove	Cooling apparatus and ice cascade system
400 VAC 3P+N+PE	400 VAC 3P+N+PE	400 VAC 3P+N+PE
6,5 - 24,5	10,3 - 13,3	2
Ceiling strip, dimmable white LED 2700°K	Ceiling spotlights, dimmable white LED 2700°K (number varies according to dimensions)	Ceiling spotlights, dimmable blue LEDs (number varies according to dimensions) + 2 LED spots positioned in the ceiling distributor
High density insulation walls with self-supporting aluminium frame (min. thickness 7.5 cm, U= 0.67 W/m2K)	High density insulation walls with self-supporting rigid aluminium frame (min. thickness 7.5 cm, U= 0.49 W/m2K)	High density insulation walls with self-supporting rigid aluminium frame (min. thickness 7.5 cm, U= 0.49 W/m2K)









Activated from technical area	Activated from technical area	Activated from technical area
Button inside cabin	Button inside cabin	Button inside cabin
Activated from technical area	Activated from technical area	Activated from technical area
Activated from technical area	Activated from technical area	Activated from technical area
-	Wall jet in the cabin. The number of jets increases as the dimentions of the cabin are increased.	Wall jet in the cabin. The number of jets increases as the dimentions of the cabin are increased.
yes	yes	yes

LAYOUT

GlamourSteamPro

195 x 105 cm	195 x 195 cm	285 x 195 cm	285 x 285 cm
 A	 B*	 A*	 A*
 B*	 C*	 B*	 B
 C*		 B1*	 C
		 C*	
		 C1*	




(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

375 x 195 cm	375 x 285 cm	375 x 375 cm
 A*	 A*	 A*
	 A1*	 B
	 B	 C
	 C*	

(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

LAYOUT

GlamourSaunaPro

195 x 105 cm	195 x 195 cm	285 x 195 cm	285 x 285 cm
 B*	 B*	 A*	 A*
 C*	 C*	 B*	 B*
		 B1*	 C*
		 C*	
		 C1*	











(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

375 x 195 cm	375 x 285 cm	375 x 375 cm
		
		
		
		
		
		









(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

LAYOUT

GlamourMediterraneanPro

195 x 195 cm	285 x 195 cm	285 x 285 cm
 B*	 A*	 A*
 C*	 B*	 B
	 B1*	 C
	 C*	
	 C1*	

(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

375 x 195 cm	375 x 285 cm	375 x 375 cm
		
		
		
		


(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

LAYOUT

GlamourIcePro


285 x 195 cm

A*



285 x 285 cm

B*



(*) All layouts shown are also available in the Vision version. The direction of door opening is determined at the moment of purchase.

STARPOOL

wellness concept



AmstelConcepts BV

P.O. Box 69409, 1060 CL
Amsterdam, The Netherlands
+31 20 6693560
mhorn@amstelconcepts.com

